

Rocket Booster Consent Form

Introduction

The Rocket Booster Infusion is designed to boost energy, reduce fatigue, and support overall wellness. It includes a combination of key nutrients such as Alpha Lipoic Acid (ALA), B12, and Glutathione. This therapy can be tailored with varying doses and hydration add-ons to meet your needs.

Recommended Uses

- Energy, Fatigue, Fibromyalgia
- Type 2 Diabetes or Insulin Resistance
- Atherosclerotic Plaque
- Diabetic Neuropathy

- Antioxidant Boost
- Burning Mouth Syndrome
- Prevention and Treatment of Mushroom Poisoning

How to Prepare for Your Infusion

- 1. Dietary Preparation
 - Do not fast before your infusion. Eat a high protein and/or high fat snack or meal before your infusion.
 - If you are diabetic, do not take blood glucose-lowering agents, including insulin, before the infusion.
 - Metformin may be taken, but dosage adjustments may be necessary after the infusion. Monitor your blood sugar levels closely.

2. Laboratory Tests

- Laboratory tests are recommended for ongoing care. If you have recent lab results, please bring them with you.
- If you are interested in new laboratory tests, please mention this during your consult or prior to your visit.
- Note that insurance coverage for lab work is not guaranteed, and you may be responsible for the cost.

Contraindications

- Please let staff know if you are allergic to any components of the infusion or have had a reaction in the past.
- Glutathione: Sulfa allergy patients may feel worse temporarily after administration. Dosage can be adjusted based on your feedback.

What to Expect on Arrival and During the Infusion

- Vital Signs Monitoring: Your vital signs will be checked before and after the infusion to ensure your safety and monitor any changes.
- 2. Blood Glucose Monitoring: Your blood sugar will be checked in the facility prior to the infusion. If you are diabetic, pre-diabetic, or have metabolic syndrome, this is particularly important.



Rocket Booster Consent Form

Side Effects and Precautions

- Hypoglycemia may occur due to increased insulin sensitivity. If you experience symptoms of hypoglycemia, such as dizziness, sweating, confusion, or weakness, please inform the staff immediately.
- Thiamine deficiency due to increased glucose metabolism may occur with ALA use. It is recommended to take a B-complex vitamin if receiving infusions regularly.
- Copper replacement may be needed if receiving ALA infusions routinely. Monitor for possible copper deficiency with long-term use. Common signs and symptoms of copper deficiency include fatigue and weakness, frequent sickness, weak and brittle bones, problems with memory and learning, difficulties walking, increased cold sensitivity, pale skin, premature gray hair, and vision loss.
- Possible side effects include mild discomfort at the injection site, mild nausea, or temporary feeling of weakness.
- Monitoring your IV site for signs and symptoms of infection. These signs include increasing redness and warmth at the injection site and purulent discharge of any color. You can expect your bandage to have clear blood-tinged fluid on the day of your infusion, but should be mostly healed by the following day.

Disclaimer

The recommended uses and potential benefits of these protocols are based on current research and clinical experience. However, these statements have not been evaluated by the Food and Drug Administration (FDA). The protocols described are not intended to diagnose, treat, cure, or prevent any disease. Individual results may vary, and it is important to consult with your healthcare provider before starting any new treatment, especially if you have existing health conditions or are taking other medications. The information provided is for educational purposes only and should not be construed as medical advice.

Acknowledgement

Thank you for your cooperation.

By signing below, you acknowledge that you have read and understood the preparation instructions for the Rocket Booster Infusion Therapy and agree to follow the guidelines provided.

Name:	Date:
Signature:	
Please bring this signed form with you to your appoir feel free to contact our clinic before your scheduled in	